LIST OF PRIOR ART CITED BY APPLICANT

(PTO-1449)

ATTY. DOCKET NO.	APPLN. SERIAL NO.
UMBC-004	10/733,412 ~~09/928,662~~
APPLICANT(S) G vind RAO	
FILING DATE August 14, 2001	GROUP 1744

U.S. PATENT DOCUMENTS

EXAMINER'S INITIALS	*PATENT NO.	*ISSUE DATE	*INVENTOR NAME	CLASS	SUBCLASS	FILING DATE

U.S. PATENT APPLICATION PUBLICATIONS

	*PATENT APPLN. PUB. NO.	*PUB. DATE	*APPLICANT	CLASS	SUBCLASS	

U.S. PATENT APPLICATIONS

	*APPLN. NO.	*FILING DATE	*INVENTOR	CLASS	SUBCLASS	

FOREIGN PATENT DOCUMENTS

EXAMINER'S INITIALS	PATENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	Translation Yes	Translation No

OTHER ART (Including Author, Title, Date, Pertinent Pages, Publisher, Place of Publication, Etc.)

DRR	Chang et al., "Steam-Sterilizable, Fluorescence Lifetime-Based Sensing Film for Dissolved Carbon Dioxide", Biotechnol Prog, March-April, 14 (2):326-331 (1998)
	Bylund et al., "Influence of Scale-Up on the Quality of Recombinant Human Growth Hormone", Biotechnol Bioeng, 69:119-128 (2000)
	Kostov et al., "Low-Cost Microbioreactor for High-Throughput Bioprocessing", Biotechnol Bioeng, February 5, 72 (3):346-52 (2001)
	S.B. Bambot et al., "Lifetime-based optical sensing of pH using resonance energy transfer in sol-gel films", Sensors and Actuators B 22 (1994) pages 181-188
	Sipior et al., "A Lifetime-Based Optical CO2 Gas Sensor with Blue or Red Excitation and Stokes or Anti-Stokes Detection", Anal Biochem, May 20, 227 (2):309-18 (1995)
	Gryczynski et al., "Polarization-Based Oxygen Sensor", Analyst, July, 124(7):1041-44 (1999)
	Bambot et al., "Optical Oxygen Sensor Using Fluorescence Lifetime Measurement", Adv Ep Med Biol, 361:197-205 (1994)
	Chae et al., "Framework for Online Optimization of Recombinant Protein Expression in High-Cell-Density Escherichia Coli Cultures using GFP-Fusion Monitoring", Biotechnol Bioeng, August 5, 69 (3):275-85 (2000)
DRR	DeLisa et al., "Monitoring GFP-Operon Fusion Protein Expression during High Cell Density Cultivation of Excherichia Coli using an On-Line Optical Sensor", Biotechnol Bioeng, October 5, 65(1) :54-64 (1999).

EXAMINER	DATE CONSIDERED
David Redding	9/28/04

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.